

FortiGate[®] 200E Series

FortiGate 200E and 201E

Next Generation Firewall Enterprise Branch Secure SD-WAN



The FortiGate 200E series delivers next generation firewall capabilities for mid-sized to large enterprises, with the flexibility to be deployed at the campus or enterprise branch. Protect against cyber threats with security processor powered high performance, security efficacy and deep visibility.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Identify thousands of applications including cloud applications for deep inspection into network traffic
- Detects unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-eading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as Next Generation Firewall and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



 Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
20 Gbps	2.2 Gbps	1.8 Gbps	1.2 Gbps	Multiple GE RJ45, GE SFP Slots

Refer to specification table for details

DEPLOYMENT

Next Generation Firewall (NGFW)

- Combines threat prevention security capabilities into single high performance network security appliance
- Reduces complexity by creating campus topology view and providing granular visibility of devices, users and threat information
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic
- Delivers industry's highest SSL inspection performance using industry-mandated ciphers
- Proactively detect malicious unknown threats using integrated cloud-based sandbox service



- Secure direct Internet access for Cloud applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero-Touch deployment



FortiGate 200E deployment in campus (NGFW)



FortiGate 200E deployment in branch office (Secure SD-WAN)

HARDWARE

FortiGate 200E/201E







Interfaces

- 1. Console Port
- 2. USB Port
- 3. 2x GE RJ45 Management/HA Ports

4. 2x GE RJ45 WAN Ports

- 5. 14x GE RJ45 Ports
- 6. 4x GE SFP Slots

Powered by SPU



- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed, secure remote access

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

Network Processor

The SPU NP6Lite network processor works inline with firewall and VPN functions delivering:

- Wire-speed firewall performance for any size packets
- VPN acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing



FORTINET SECURITY FABRIC

Security Fabric

The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.



FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.



SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.
 - For more information, please refer to the FortiOS data sheet available at www.fortinet.com



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

	FORTIGATE 200E FORTIGATE 201E		
Hardware Specifications			
GE RJ45 WAN Interfaces	2		
GE RJ45 Management/HA Ports	2		
GE RJ45 Ports	14		
GE SFP Slots	4		
USB port	1		
Console (RJ45)	1		
Local Storage	— 1x 480 GB SSD		
Included Transceivers	0		
System Performance			
Firewall Throughput	20 / 20 / 9 Gbps		
(1518 / 512 / 64 byte UDP packets)			
Firewall Latency (64 byte UDP packets)	3 µs		
Firewall Throughput (Packets Per Second)	13.5 Mpps		
Concurrent Sessions (TCP)	2 Million		
New Sessions/Second (TCP)	135,000		
Firewall Policies	10,000		
IPsec VPN Throughput (512 byte) ¹	9 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	2,000		
Client-to-Gateway IPsec VPN Tunnels	10,000		
SSL-VPN Throughput	900 Mbps		
Concurrent SSL-VPN Users	300		
(Recommended Maximum, Tunnel Mode)			
SSL Inspection Throughput (IPS, HTTP) ³	1 Gbps		
Application Control Throughput (HTTP 64K) ²	3.5 Gbps		
CAPWAP Throughput (1444 byte, UDP)	1.5 Gbps		
Virtual Domains (Default / Maximum)	10 / 10		
Maximum Number of Switches Supported	24		
Maximum Number of FortiAPs (Total / Tunnel Mode)	128 / 64		
Maximum Number of FortiTokens	1,000		
Maximum Number of Registered FortiClients	600		
High Availability Configurations	Active / Active, Active / Passive, Clustering		
System Performance — Optimal Traffic Mix			
IPS Throughput ²	6 Gbps		
System Performance — Enterprise Traffic Mix			
IPS Throughput ²	2.2 Gbps		
	1.0 Chro		
NGFW Throughput ^{2,4}	1.8 Gbps		

	FORTIGATE 200E	FORTIGATE 201E			
Dimensions					
Height x Width x Length (inches)	1.75 x 17.0 x 11.9				
Height x Width x Length (mm)	44 45 x 432 x 301				
Weight	11.9 lbs (5.4 kg)	12.12 lbs (5.5 kg)			
Form Factor	m Factor Rack Mount, 1 RU				
Environment					
Power	100–240V AC, 50–60 Hz				
Maximum Current	110 V / 3 A, 220 V / 0.42 A				
Power Consumption (Average / Maximum)	70.98 / 109.9 W				
Heat Dissipation	374.9 BTU/h				
Operating Temperature	32–104°F	(0-40°C)			
Storage Temperature	-31–158°F	(-35—70°C)			
Humidity	10–90% non-condensing				
Noise Level	31.1	dBA			
Operating Altitude	Up to 7.400 ft (2.250 m)				
Compliance	FCC Part 15B, Class A, CE, RCM, VCCI, UL/cUL, CB, BSMI				
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; IPv6				

FortiGate® 200E Series

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F#RTINET.

5

ORDER INFORMATION

Product	SKU	Description
FortiGate 200E	FG-200E	18x GE RJ45 (including 2x WAN ports, 1x Mgmt port, 1x HA port, 14x switch ports), 4x GE SFP slots. SPU NP6Lite and CP9 hardware accelerated.
		18x GE RJ45 (including 2x WAN ports, 1x Mgmt port, 1x HA port, 14x switch ports), 4x GE SFP slots, SPU NP6Lite and CP9 hardware accelerated,
Optional Accessories		
External redundant AC power supply	FRPS-100	External redundant AC power supply for up to 4 units: FG-100/101E, FG-300C, FG-310B, FS-348B and FS-448B. Up to 2 units: FG-200B, FG-200D, FG-200/201E, FG-240D and FG-300D, FG-400D, FG-500D, FG-600D, FHV-500D, FDD-200B, FDD-400B, FDD-600B and FDD-800B.
1 GE SFP LX transceiver module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 transceiver module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX transceiver module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiCASB SaaS-only Service ^			•
FortiGuard Industrial Service ^			•
FortiGuard Security Rating Service* ^			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service*	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0.1 and above ^ With new Q3-2018 SKUs



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 8 Temasek Boulevard #12-01 Suntec Tower Three Singapore 038988 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Fortinet, Inc. All rights reserved. Fortiles@, Fortiles@, Fortiles@, Fortiles@, and Fortiles@, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein repressiv-fortified performance metrics and, in such event, only the specific performance metrics expressly variables, in use network environment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant here express or implied. Fortinet researces the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.